



STRIKE BAC LEMON ODOR DISINFECTANT

* Kills Pseudomonas, Salmonella and Staphylococcus

ACTIVE INGREDIENTS:

Alkyl (C₁₄, 58%; C₁₆, 28%; C₁₂, 14%) dimethyl Benzyl ammonium chloride.....2.50%

INERT INGREDIENTS:.....97.50%

TOTAL INGREDIENTS:.....100.00%

*This disinfectant is effective at 4 oz./gal. (1-31 against Pseudomonas aeruginosa PDR-10, Salmonella choleraesuis ATCC 10706, and Staphylococcus aureus ATCC 6538 when tested by the A.O.A.C. Use dilution test method for pre-cleaned, hard non-porous, inanimate environmental surface. This product may be used for cleaning and deodorizing, one-step cleaning, and disinfectant or pre-cleaned, non-porous, inanimate hard surfaces.

This DISINFECTANT reduces the surface tension of water, improving its wettability. Microbes are capable of mass reproduction in sub-visible pores, scratches and cracks of surfaces. The excellent wettability of STRIKE BAC LEMON ODOR DISINFECTANT improves the penetration of the use solution into areas that otherwise might not be reached. THIS DISINFECTANT is effective against a wide variety of gram-positive and gram-negative bacteria. It is also an excellent deodorant and is especially effective in controlling odors that are bacterial in origin. Has a pleasant lemon odor. THIS DISINFECTANT mixes readily with water to form clear, stable use solutions. Use solutions are non-corrosive and non-staining to plastic, vinyl, synthetics, enamel, tile, and most common metals.

WARNING: KEEP OUT OF REACH OF CHILDREN.

(See back panel for additional precautions)

NET 1 GALLON (3.78 LITERS)

EPA REG. NO. 37265-49

EPA EST. NO. 37265-CA-01

Distributed By: GENLABS

5568 Schaefer Ave., Chino, CA 91710 - (909) 591-8451

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

This product is not to be used as a terminal sterilant/high-level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to pre-clean or decontaminate critical or semi-critical medical devices prior to sterilization or high-level disinfection.

APPLICATION

Select the proper dilution of STRIKE BAC LEMON ODOR DISINFECTANT from the directions below. Apply the use solution with a clean mop, cloth, squeegee, mechanical scrubber or mechanical spraying device.

Prepare fresh use solution daily. Do not reuse solutions. Discard solutions when they become visibly soiled. For disinfection, thoroughly wet the surface to be treated. Surfaces must remain moist for at least 10 minutes to assure proper germicidal action. If desired, surfaces may then be rinsed with clean water or wiped with clean, damp cloth to remove suspended soils. This product may be used for cleaning and disinfecting hard, non-porous inanimate surfaces (glass, metal, glazed porcelain, linoleum, tile, smooth leather, vinyl, enameled and finished wood surfaces) on walls, floors, appliances and furnishings.

CLEANING

To clean and deodorize or to pre-clean prior to disinfection, depending on the soil level of the area to be cleaned, use 8 oz. to 16 oz. of STRIKE BAC LEMON ODOR DISINFECTANT per gallon of water.

DISINFECTION

Hospitals veterinary clinics, nursing homes: Use 1 part of STRIKE BAC LEMON ODOR DISINFECTANT per 22 parts of water (5% oz./gal. approximately 1 qt. To 5 gallons.) for one-step cleaning and disinfection of areas with light to medium soil loads. For heavily soiled areas, pre-clean as described above and then disinfect with STRIKE BAC LEMON ODOR DISINFECTANT at 1 part to 31 parts water (4 oz./gal).

Industrial Areas, Barber Shops, Restrooms, Restaurants, Food and Meat Processing Plants (Non-Food Processing Areas), other Non-Medical Uses: Pre-clean surfaces. Then disinfect with a solution of 1 part product in 60 parts of water (2% oz./gal.). Alternatively, clean and disinfect in one operation using 5% oz. of this product per gallon of water.

For deodorizing garbage cans, garbage trucks, industrial waste receptacles and garbage handling equipment. It is especially important to pre-clean for the product to perform properly. Then, apply a wetting concentration of 12 oz. of STRIKE BAC LEMON ODOR DISINFECTANT per gallon of water.

For mildew control. Follow directions for hospital disinfection. Repeat treatment every seven days, or when new growth appears. STRIKE BAC LEMON ODOR DISINFECTANT can be used through automatic floor scrubbing equipment. STRIKE BAC LEMON ODOR DISINFECTANT must not be used on food contact surfaces.

WARNING: Causes eye and skin irritation. Do not get in eyes, on skin, or clothing. Harmful if swallowed. Avoid contamination of food. Avoid breathing spray mist.

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Do not discharge into lakes, streams, ponds, or public water unless in accordance with NPDES Permit. Do not contaminate water by cleaning of equipment or by disposing of wastes.

Page 1

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS STORAGE AND DISPOSAL

STORAGE: Store in cool, dry place away from any moisture or direct sunlight. Do not stack over 4 cases high. Open containers carefully followed by immediate closure once diluted. If leaked or spilled, soak up material separately and away from other pesticides, fertilizer, food and feed.

PESTICIDE DISPOSAL: Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Pesticide, spray mixture, or rinse water that cannot be used according to label instructions must be disposed of according to Federal or approved State procedures under subtitle C of the Resource Conservation and Recovery Act. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Do not reuse empty container. Plastic Containers: Triple rinse (or equivalent) then offer for recycling or reconditioning, or dispose of in a sanitary landfill, or by incineration, if allowed by state and local authorities. If burned, stay away from smoke.

FIRST AID	
Dermal exposure, Skin Irritation	If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
Ingestion	If swallowed: Call a poison control center or doctor for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
Eyes	If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
Inhalation	If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for treatment advice.
HOT LINE NUMBER	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact Chemtrec at 1-800-424-9300 for emergency medical treatment information.	
NOTE TO PHYSICIAN	
Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and emesis may be needed.	

Page 2