

Identity# 01130 Name STRIKE BAC LEMON ODOR DISINFECTANT

Section 1

Manufacture's Name - Genlabs (Formerly General Chemical Corp.)
 Address - 5568 Schaefer Ave. Emergency Phone (Chemtrec) 1-(800)-424-8300
 City - Chino State - CA Phone - (909) 591-8451
 Contact Person - Solaiman Jonatan

Date Prepared- 1/21/1999

Section 2 - Hazardous Ingredients/Identity Information

Hazardous Components	CAS#	OSHA PEL	ACGIH TLV	Weight% (Optional)
Quaternary Ammonium Chloride	139071, 139082, 122189	NONE	NONE	

Note:

VOC Content- 19.9 g/L

Section 3 - Physical/Chemical Characteristics

Boiling Point- >212 F	Specific Gravity- .995
Vapor Pressure - Not Tested	Melting Point - Not Tested
Vapor Density - Not Tested	Evaporation Rate - Not Tested
Solubility in Water- 100%	
Appearance and Odor- YELLOW, LEMON ODOR	

Section 4 - Fire and Explosion Hazard Data

Flash Point- None	Flammable Limits - Not Tested
LEL- Not Tested	UEL- Not Tested
pH- 6.5-8.5	DOT# NONE
NFPA Hazard Rating - H F R S	HMRS Hazard Rating- H F R
(0- Least, 4- Extreme) 1 0 0 0	1 0 0
Extinguishing Media- None	
Special Fire Fighting Procedures- NONE	
Unusual Fire and Explosion Hazards- NONE	

Section 5 - Reactivity Data

Stability - Stable
 Conditions to Avoid - None
 Incompatible Materials to Avoid - Anionic Materials, STRONG OXIDIZERS
 Hazardous Decomposition or Byproducts- CO, CO2
 Hazardous Polymerization- NONE
 Conditions to Avoid- None

Section 6 - Health Hazard Data

Routes of Entry
 Inhalation? - Possible
 Skin? - Possible
 Ingestion? - Possible
 Health Hazards - Same as Signs and Symptoms of Exposures
 Note - All Chemicals in this Product are Found on the TSCA Inventory List.
 OSHA Carcinogenicity? - None; NTP? - None; IARC Monographs? - None. # 01130

Signs and symptoms of over exposure:

Eyes - Burning Sensation

Skin- Irritant

Ingestion- Toxic, Do Not Induce Vomiting, Call Physician

Inhalation- Dizziness, Headaches, Irritation

Medical Conditions Generally Aggravated by Exposure - Same as Signs and Symptoms of Over Exposure.

Emergency and First Aid Procedures

Eyes - Flush With Water For 15 Minutes. If Irritation Persists, Call Physician.

Skin- Wash Off With Soap & Water, If Irritation Persists, Call Physician

Ingestion- Drink Large Amounts of Water, Call Physician

Inhalation- Get Person to Fresh Air If Unconscious, Call Physician

Section 7 - Precautions For Safe Handling and Use.

Steps to be taken in case material is released or spilled - Soak up with inert, absorbent material. Scoop up and place in a proper waste disposal container.

Waste Disposal Method - Dispose of in accordance with state and local regulations.

Precautions To Be Taken In Handling and Storing - Store in a cool, dry place, out of direct sunlight. Do not freeze, less than or equal to 32 F, or heat above 110 F.

Other Precautions - Keep out of reach of children. Follow directions on the container for proper use of this product.

Section 8 - Control Measures

Respiratory Protection - Open all doors and windows. "If" there is an exposure, and it is above the TLV or PEL, a NIOSH approved respirator equipped for the exposure or suitable respiratory protection per 29 CFR 1910.134, is required.

Ventilation	Local Exhaust - If Available	Special - None
	Mechanical - If Available	Other - None

Protective Gloves- Plastic or Rubber, Chemical Resistant

Eye Protection- Glasses, Goggles

Other Protective Clothing or Equipment- None

Work Hygienic Practices - Use common sense and care around chemicals. Never mix chemicals. Consult your supervisor for other practices. All practices depend on your specific business. Directions for use are normally found on label which will dictate engineering and control measures.

Other Special Requirements

Note: Genlabs believes the data set forth are accurate, Genlabs makes no warranty with respects thereto and disclaims all liability for reliance thereon. Such data are offered solely for consideration, investigation and verification. Also, the data set forth is for the concentrated finished product. All lab samples are for experimental purposes only and used at the customers discretion